

CP 620

Safety information for 2-Component-products

Issue date: 20/03/2025

Revision date: 20/03/2025

Supersedes: 06/04/2023

Version: 8.0

SECTION 1: Kit identification

1.1 Product identifier

Trade name



Product code

BU Fire Protection

1.2 Details of the supplier of the Safety information for 2-Component-products

Hilti (Philippines) Inc. 2256 Pasong Tamo Extension Edsa, Brgy. Magallanes 1224 Makati City - Philippinen T +632 784 7100 - F +63 2 784 7100 customerservice.ph@hilti.com

SECTION 2: General information

A SDS for each of these components is included. Please do not separate any component SDS from this cover page

SECTION 3:


Classification of the Product

Classification according to the United Nations GHS

Label elements

Labelling according to the United Nations GHS

Hazard pictograms (GHS UN)





Danger

4,4'-diphenylmethanediisocyanate, isomeres and homologues; zinc borate

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H332 - Harmful if inhaled.

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.



CP 620

Safety information for 2-Component-products

- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H361 Suspected of damaging fertility or the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H412 Harmful to aquatic life with long lasting effects.

Precautionary statements (GHS UN)

P260 - Do not breathe vapours.

P280 - Wear eye protection, protective clothing, protective gloves.

- P284 In case of inadequate ventilation wear respiratory protection.
- P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P342+P311 - If experiencing respiratory symptoms: Call a doctor, a POISON CENTER.

Additional information

Name	General description	Quantity	Unit	Classification according to the United Nations GHS
CP 620, B		1	pcs (pieces)	Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Resp. Sens. 1, H314 Skin Sens. 1, H317 Carc. 2, H351 STOT SE 3, H335 STOT RE 2, H373
CP 620, A (RoW)		1	pcs (pieces)	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Repr. 2, H361 Aquatic Chronic 3, H412

SECTION 4: General advice

General advice

For professional users only

SECTION 5: Safe handling advic	
Environmental precautions	Avoid release to the environment
Storage conditions	Store in a well-ventilated place. Keep cool.
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Wear personal protective equipment Do not breathe vapours. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes In case of inadequate ventilation wear respiratory protection.
Methods for cleaning up	Take up liquid spill into absorbent material Notify authorities if product enters sewers or public waters
Incompatible materials	Sources of ignition Direct sunlight
Incompatible products	Strong bases Strong acids

SECTION 6: First aid measures

First-aid measures after eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.



CP 620

Safety information for 2-Component-products

First-aid measures after ingestion	Call a poison center or a doctor if you feel unwell
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell
First-aid measures after skin contact	Wash with plenty of water/… If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing.
First-aid measures general	If you feel unwell, seek medical advice (show the label where possible)
Symptoms/effects after eye contact	Eye irritation
Symptoms/effects after inhalation	May cause respiratory irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Symptoms/effects after skin contact	Irritation May cause an allergic skin reaction.
Other medical advice or treatment	Treat symptomatically

SECTION 7: Fire fighting measures

Firefighting instructions	Use water spray or fog for cooling exposed containers Exercise caution when fighting any chemical fire Prevent fire fighting water from entering the environment
Protection during firefighting	Self-contained breathing apparatus Complete protective clothing
Hazardous decomposition products in case of fire	Toxic fumes may be released Carbon dioxide Carbon monoxide

SECTION 8: Other information

No data available





according to the United Nations GHS (Rev. 4, 2011) Issue date: 20/03/2025 Revision date: 20/03/2025

Supersedes: 08/02/2021

Version: 8.0

SECTION 1: Identification			
1.1. GHS Product identifier			
Product form	Mixture		
Trade name	CP 620, B		
Product code	BU Fire Protectio	n	
1.2. Other means of identification			
No additional information available			
1.3. Recommended use of the chemical and i	estrictions on u	se	
Use of the substance/mixture	Firestop foam		
Recommended use	Firestop foam		
1.4. Supplier's details			
Supplier		Department issuing data specifica	tion sheet
Hilti (Philippines) Inc.		Hilti AG	
2256 Pasong Tamo Extension		Feldkircherstraße 100	
Edsa, Brgy. Magallanes		FL 9494 Schaan	
PH 1224 Makati City		Liechtenstein T +423 234 2111	
Philippinen T +632 784 7100, F +63 2 784 7100		product.compliance-fire.protection@l	hilti com
customerservice.ph@hilti.com		product.compliance-me.protection@i	<u>initi.com</u>
1.5. Emergency phone number			
Emergency number	Emergency CON	TACT (24-Hour-Number):	
	GBK GmbH Glob	al Regulatory Compliance	
	+49 (0)6132-844	63	
	+632 784 7100		
SECTION 2: Hazard identification			
2.1. Classification of the substance or mixtur	e		
Classification according to the United Nations GH	6		
Acute toxicity (inhal.), Category 4	F	1332	Expert judgement
Acute toxicity (inhalation:dust,mist) Category 4	F	1332	Calculation method
Skin corrosion/irritation, Category 2	F	1315	Calculation method
Serious eye damage/eye irritation, Category 2A	F	1319	Calculation method
Respiratory sensitisation, Category 1	F	1334	Calculation method
Skin sensitisation, Category 1	F	1317	Calculation method
Carcinogenicity, Category 2	F	1351	Calculation method
Specific target organ toxicity – Single exposure, Categ Respiratory tract irritation	ory 3, H	1335	Calculation method
Specific target organ toxicity – Repeated exposure, Ca	ategory 2	1373	Calculation method
Full text of H-statements: see section 16	Quanaatad of	uning concer May cause domast to any	when through prolonged or for a start
Adverse physicochemical, human health and		ising cancer,May cause damage to orga Il if inhaled,May cause respiratory irritation	
environmental effects	exposure, narmiu	in initialed, way cause respiratory initial	

Suspected of causing cancer, May cause damage to organs through prolonged or repeated exposure, Harmful if inhaled, May cause respiratory irritation, Causes skin irritation, May cause an allergic skin reaction, Causes serious eye irritation, May cause allergy or asthma symptoms or breathing difficulties if inhaled.



according to the United Nations GHS (Rev. 4, 2011)

2.2. GHS Label elements, including precautionary statements			
Labelling according to the United Nations GHS			
Hazard pictograms (GHS UN)			
Signal word (GHS UN)	Danger		
Hazardous ingredients	4,4'-diphenylmethanediisocyanate, isomeres and homologues		
Hazard statements (GHS UN)	H315 - Causes skin irritation		
	H317 - May cause an allergic skin reaction		
	H319 - Causes serious eye irritation		
	H332 - Harmful if inhaled		
	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled		
	H335 - May cause respiratory irritation		
	H351 - Suspected of causing cancer		
	H373 - May cause damage to organs through prolonged or repeated exposure		
Precautionary statements (GHS UN)	P260 - Do not breathe vapours.		
	P280 - Wear eye protection, protective clothing, protective gloves.		
	P284 - In case of inadequate ventilation wear respiratory protection.		
	P302+P352 - IF ON SKIN: Wash with plenty of water.		
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
	P342+P311 - If experiencing respiratory symptoms: Call a doctor, a POISON CENTER.		

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable



according to the United Nations GHS (Rev. 4, 2011)

3.2. Mixtures			
Name	Product identifier	%	Classification according to the United Nations GHS
4,4'-diphenylmethanediisocyanate, isomeres and homologues	CAS-No.: 9016-87-9	≥ 40	Flammable liquids Not classified Acute toxicity (oral) Not classified Acute toxicity (dermal) Not classified Acute toxicity (inhal.), Category 4, H332 Skin corrosion/irritation, Category 2, H315 Serious eye damage/eye irritation Category 2, H319 Respiratory sensitisation, Category 1, H334 Skin sensitisation, Category 1, H317 Carcinogenicity, Category 2, H35 Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation, H335 Specific target organ toxicity – Repeated exposure, Category 2, H373
4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate	CAS-No.: 101-68-8	25-60	 Acute toxicity (oral) Not classified Acute toxicity (dermal) Not classified Acute toxicity (inhal.), Category 4, H332 Acute toxicity (inhalation:dust,mist) Category 4, H332 Skin corrosion/irritation, Category 4, H332 Skin corrosion/irritation, Category 2, H315 Serious eye damage/eye irritation Category 2A, H319 Respiratory sensitisation, Category 1, H334 Skin sensitisation, Category 1, H317 Carcinogenicity, Category 2, H355 Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation, H335 Specific target organ toxicity – Repeated exposure, Category 2, H373
Reaction products of phosphoryl trichloride and 2- methyloxirane	CAS-No.: 13674-84-5	10 – 25	Acute toxicity (oral), Category 4, H302 Carcinogenicity, Category 2, H35 Hazardous to the aquatic environment – Chronic Hazard, Category 3, H412



according to the United Nations GHS (Rev. 4, 2011)

Full text of H-statements: see section 16

SECTION 4: First-aid measures			
4.1. Description of necessary first-aid measures			
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell. Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER/doctor.		
First-aid measures after skin contact	Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. Wash with plenty of water/ Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). If skin irritation or rash occurs:		
First-aid measures after eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.		
First-aid measures after ingestion	Call a poison center or a doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.		
4.2. Most important symptoms/effects, acute and delayed			
Symptoms/effects after inhalation	May cause respiratory irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Danger of serious damage to health by prolonged exposure through inhalation. May cause an allergic skin reaction.		
Symptoms/effects after skin contact Symptoms/effects after eye contact Potential adverse human health effects and	Irritation. May cause an allergic skin reaction. Causes skin irritation. Eye irritation. Causes serious eye irritation. Harmful if inhaled.		

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

symptoms

SECTION 5: Fire-fighting measures		
5.1. Suitable extinguishing media		
Suitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide. Sand.	
Unsuitable extinguishing media	Do not use a heavy water stream.	
5.2. Specific hazards arising from the chemical		
Hazardous decomposition products in case of fire	Toxic fumes may be released.	
5.3. Special protective actions for fire-fighters		
Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.	
Protection during firefighting	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. Do not enter fire area without proper protective equipment, including respiratory protection.	

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures

Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Evacuate unnecessary personnel.



according to the United Nations GHS (Rev. 4, 2011)

6.1.2. For emergency responders				
Protective equipment	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper protection.			
Emergency procedures	Ventilate area.			
6.2. Environmental precautions				
Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.				
6.3. Methods and materials for containment and cleaning up				
Methods for cleaning up	Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. Soak up spills with inert solids, such as clay or diatomaceous earth as soon			

Other information

Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing dust/fume/gas/mist/vapours/spray.
Hygiene measures	Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash hands, forearms and face thoroughly after handling.
7.2. Conditions for safe storage, including a	ny incompatibilities
Storage conditions	Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep only in

Storage conditions	Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep only in
	the original container in a cool, well ventilated place away from :
Incompatible products	Strong bases. Strong acids.
Incompatible materials	Sources of ignition. Direct sunlight.
Storage temperature	5 – 25 °C

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls	
Appropriate engineering controls	Ensure good ventilation of the work station.
Environmental exposure controls	Avoid release to the environment.
Other information	Do not eat, drink or smoke during use.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment:

Gloves. Protective clothing. Safety glasses. Avoid all unnecessary exposure.

Hand protection

Wear suitable gloves tested to EN374. Suitable for short-term work or as a splash guard: Nitrile rubber gloves (> 0.1 mm). In case of permanent product contact:



according to the United Nations GHS (Rev. 4, 2011)

Туре	Material	Permeation	Thickr	ness (mm)	Penetration		Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	≥ 0,35				
Disposable gloves	Butyl rubber	6 (> 480 minutes)	≥ 0,35				
Eye protection		Chemical goggles or	safety glas	ses			1
Туре		Field of application		Characteristic	s	Stand	ard
Safety glasses		Droplet				EN 16	6, EN 170
Skin and body protectior	1	Wear suitable protect	ve clothin	a		1	

Respiratory protection

Not necessary with sufficient ventilation. Ensure good ventilation of the work station. Open windows during application to ensure natural ventilation. If the occupational exposure limit is exceeded: Wear appropriate mask. (e.g. gas filter type A1-P2 according to EN 14387)

Personal protective equipment symbol(s)



8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Basic physical and chemical properties

5.1. Dasic physical and chemical properties	>
Physical state	Liquid
Colour	amber.
Odour	characteristic.
Odour threshold	Not available
Melting point	Not applicable
Freezing point	Not available
Boiling point	Not available
Flammability	Not applicable,Non flammable.
Lower explosion limit	Not available
Upper explosion limit	Not available
Flash point	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
рН	Not available
pH solution	Not available
Viscosity, kinematic (calculated value) (40 °C)	Not available
Partition coefficient n-octanol/water (Log Kow)	Not available
Vapour pressure	Not available
Vapour pressure at 50°C	Not available
Density	≈ 1.032 g/cm³
Relative density	Not available
Relative vapour density at 20°C	Not available
Solubility	Not available
Particle size	Not applicable

9.2. Data relevant with regard to physical hazard classes (supplemental)

VOC content



CP 620, B

Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions. Not established.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Not established.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information 11.1. Information on toxicological effects Acute toxicity (oral) Not classified Acute toxicity (dermal) Not classified Harmful if inhaled. Inhalation:dust,mist: Harmful if inhaled. Acute toxicity (inhalation) CP 620, B ATE UN (gases) 4500 ppmv/4h 11 mg/l/4h ATE UN (vapours) ATE UN (dust,mist) 1.5 mg/l/4h 4,4'-diphenylmethanediisocyanate, isomeres and homologues (9016-87-9) LD50 oral rat > 10000 mg/kg (Rat, Literature study, Oral) LD50 dermal rabbit > 5000 mg/kg (Rabbit, Literature study, Dermal) LD50 dermal 9400 mg/kg LC50 Inhalation - Rat 0.49 mg/l 4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate (101-68-8) LD50 oral rat > 2000 mg/kg LD50 oral 31600 mg/kg LD50 dermal rabbit > 9400 mg/kg LC50 Inhalation - Rat (Dust/Mist) > 0.368 mg/l/4h Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Causes serious eye irritation. Respiratory or skin sensitisation May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Germ cell mutagenicity Not classified



according to the United Nations GHS (Rev. 4, 2011)

4,4'-diphenylmethanediisocyanate, isomere	es and homologues (9016-87-9)
STOT-single exposure	May cause respiratory irritation.
4,4'-methylenediphenyl diisocyanate; diphe	nylmethane-4,4'-diisocyanate (101-68-8)
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
4,4'-diphenylmethanediisocyanate, isomere	s and homologues (9016-87-9)
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
4,4'-methylenediphenyl diisocyanate; diphe	nylmethane-4,4'-diisocyanate (101-68-8)
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard Potential adverse human health effects and symptoms SECTION 12: Ecological information	Not classified Harmful if inhaled.
12.1. Toxicity	
Ecology - general Hazardous to the aquatic environment, short–term	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Not classified
(acute) Hazardous to the aquatic environment, long–term (chronic)	Not classified
4,4'-diphenylmethanediisocyanate, isomere	es and homologues (9016-87-9)
LC50 - Other aquatic organisms [1]	> 1000 mg/l (96 h, Literature study)
12.2. Persistence and degradability	
CP 620, B	
Persistence and degradability	Not established.
4,4'-diphenylmethanediisocyanate, isomere	s and homologues (9016-87-9)
Not rapidly degradable	

4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate (101-68-8)

Not rapidly degradable

12.3. Bioaccumulative potential

CP 620, B		
Bioaccumulative potential	Not established.	
4,4'-diphenylmethanediisocyanate, isomeres and homologues (9016-87-9)		
BCF - Fish [1]	268.1 l/kg (BCFBAF v3.01, Estimated value, Fresh weight)	
Partition coefficient n-octanol/water (Log Kow)	10.46 (Calculated, KOWWIN)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	
12.4. Mobility in soil		
СР 620, В		
Mobility in soil	No additional information available	



according to the United Nations GHS (Rev. 4, 2011)

4,4'-diphenylmethanediisocyanate, isomeres and homologues (9016-87-9)		
Surface tension	No data available in the literature	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	9.078 – 10.597 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Adsorbs into the soil.	
12.5. Other adverse effects		
Ozone	Not classified	
Other adverse effects	No additional information available	
Other information	Avoid release to the environment.	

SECTION 13: Disposal considerations

13.1. Disposal methods Waste treatment methods

Product/Packaging disposal recommendations

Dispose of contents/container in accordance with licensed collector's sorting instructions. Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. Avoid release to the environment.

Ecological information

SECTION 14: Transport information

ADR	IMDG	ΙΑΤΑ	RID
14.1. UN number or ID	number		
Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shippi	ng name		
Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard	class(es)		L
Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group	· · · ·		·
Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental ha	azards		
Not regulated	Not regulated	Not regulated	Not regulated

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated



according to the United Nations GHS (Rev. 4, 2011)

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

No additional information available

SECTION 16: Other information

SDS Major/Minor
Issue date
Revision date
Supersedes

None 20/03/2025 20/03/2025 08/02/2021

Section	Changed item	Change	Comments
	Composition/information on ingredients	Added	TCPP: Carc. 2, H351

Abbreviations and acronyms	CAS-No Chemical Abstract Service number
	ADN - European Agreement concerning the International Carriage of Dangerous Goods by
	Inland Waterways
	ADR - European Agreement concerning the International Carriage of Dangerous Goods by
	Road
	ATE - Acute Toxicity Estimate
	BCF - Bioconcentration factor
	BLV - Biological limit value
	BOD - Biochemical oxygen demand (BOD)
	CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
	DMEL - Derived Minimal Effect level
	DNEL - Derived-No Effect Level
	EC-No European Community number
	EC50 - Median effective concentration
	ED - Endocrine disrupting properties
	EN - European Standard
	IARC - International Agency for Research on Cancer
	IATA - International Air Transport Association
	IMDG - International Maritime Dangerous Goods
	IOELV - Indicative Occupational Exposure Limit Value
	LC50 - Median lethal concentration
	LD50 - Median lethal dose
	LOAEL - Lowest Observed Adverse Effect Level
	N.O.S Not Otherwise Specified
	NOAEC - No-Observed Adverse Effect Concentration
	NOAEL - No-Observed Adverse Effect Level
	NOEC - No-Observed Effect Concentration
	vPvB - Very Persistent and Very Bioaccumulative
	WGK - Water Hazard Class
	VOC - Volatile Organic Compounds
	SDS - Safety Data Sheet
	RID - Regulations concerning the International Carriage of Dangerous Goods by Rail



according to the United Nations GHS (Rev. 4, 2011)

REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 PNEC - Predicted No-Effect Concentration PBT - Persistent Bioaccumulative Toxic OEL - Occupational Exposure Limit OECD - Organisation for Economic Co-operation and Development COD - Chemical oxygen demand (COD) ThOD - Theoretical oxygen demand (ThOD) TRGS - Technical Rules for Hazardous Substances TLM - Median Tolerance Limit STP - Sewage treatment plant None.

Other information

Full text of H-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Acute Tox. Not classified (Dermal)	Acute toxicity (dermal) Not classified
Acute Tox. Not classified (Oral)	Acute toxicity (oral) Not classified
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. Not classified	Flammable liquids Not classified
H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335	May cause respiratory irritation
H351	Suspected of causing cancer
H373	May cause damage to organs through prolonged or repeated exposure
H412	Harmful to aquatic life with long lasting effects

SDS_UN_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.





according to the United Nations GHS (Rev. 4, 2011) Issue date: 08/02/2021 Revision date: 08/02/2021

Supersedes: 19/12/2017

Version: 7.2

SECTION 1: Identification		
1.1. GHS Product identifier		
Product form	Mixture	
Trade name	CP 620. A	
Product code	BU Fire Protection	
1.2. Other means of identification		
No additional information available		
1.3. Recommended use of the chemical and r	restrictions on use	
Recommended use	Firestop foam	
1.4. Supplier's details		
Supplier	Department issuing data s	pecification sheet
Hilti (Philippines) Inc.	Hilti AG	
2256 Pasong Tamo Extension	Feldkircherstraße 100	
Edsa, Brgy. Magallanes	FL 9494 Schaan	
PH 1224 Makati City		
Philippinen	T +423 234 2111	
T +632 784 7100, F +63 2 784 7100	product.compliance-fire.prote	
customerservice.ph@hilti.com		
1.5. Emergency phone number		
Emergency number	Emergency CONTACT (24-Hour-Number):	
	GBK GmbH Global Regulatory Compliance	
	+49 (0)6132-84463	
	+632 784 7100	
SECTION 2: Hazard identification		
2.1. Classification of the substance or mixtur	e	
Classification according to the United Nations GHS	6	
Skin corrosion/irritation, Category 2	H315	Calculation method
Serious eye damage/eye irritation, Category 2A	H319	Calculation method
Reproductive toxicity, Category 2	H361	Calculation method
Hazardous to the aquatic environment – Chronic Haza	rd, Category 3 H412	Calculation method
		-
Full text of H-statements: see section 16		
	Suspected of damaging fertility or the unborn chi	ld,Causes skin irritation.Causes serious
Full text of H-statements: see section 16 Adverse physicochemical, human health and environmental effects	Suspected of damaging fertility or the unborn chi eye irritation,Harmful to aquatic life with long last	

2.2. GHS Label elements, including precautionary statements

Labelling according to the United Nations GHS

Hazard pictograms (GHS UN)

Signal word (GHS UN) Hazardous ingredients Hazard statements (GHS UN)



Warning hexaboron dizinc undecaoxide H315 - Causes skin irritation H319 - Causes serious eye irritation





according to the United Nations GHS (Rev. 4, 2011)

	H361 - Suspected of damaging fertility or the unborn child H412 - Harmful to aquatic life with long lasting effects
Precautionary statements (GHS UN)	P280 - Wear eye protection, protective clothing, protective gloves.
	P302+P352 - IF ON SKIN: Wash with plenty of water.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
Ethylenediamine, propoxylated	CAS-No.: 25214-63-5	25 – 40	Flammable liquids Not classified Serious eye damage/eye irritation, Category 2A, H319 Hazardous to the aquatic environment – Acute Hazard Not classified Hazardous to the aquatic environment – Chronic Hazard Not classified
hexaboron dizinc undecaoxide	CAS-No.: 12767-90-7	2.5 – 5	Acute toxicity (oral) Not classified Acute toxicity (dermal) Not classified Reproductive toxicity, Category 2, H361 Hazardous to the aquatic environment – Acute Hazard, Category 1, H400 Hazardous to the aquatic environment – Chronic Hazard, Category 2, H411

Full text of H-statements: see section 16

SECTION 4: First-aid measures

4.1. Description of necessary first-aid	measures
First-aid measures general	IF exposed or concerned: Get medical advice/attention. Never give anything by mouth to an unconscious person.
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention. Wash with plenty of water/ Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label).
First-aid measures after eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.



according to the United Nations GHS (Rev. 4, 2011)

First-aid measures after ingestion	Call a poison center or a doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.			
4.2. Most important symptoms/effects, ac	4.2. Most important symptoms/effects, acute and delayed			
Symptoms/effects after skin contact	Irritation. Causes skin irritation.			
Symptoms/effects after eye contact	Eye irritation. Causes serious eye irritation.			
Potential adverse human health effects and symptoms	Based on available data, the classification criteria are not met.			
4.3. Indication of immediate medical attention and special treatment needed, if necessary				

Treat symptomatically.

SECTION 5: Fire-fighting measures			
5.1. Suitable extinguishing media			
Suitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide. Sand.		
Unsuitable extinguishing media	Do not use a heavy water stream.		
5.2. Specific hazards arising from the chemical			
Hazardous decomposition products in case of fire	Toxic fumes may be released.		
5.3. Special protective actions for fire-fighte	rs		
Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.		
Protection during firefighting	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. Do not enter fire area without proper protective equipment, including respiratory protection.		

6.1. Personal precautions, protecti	ive equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	Ventilate spillage area. Avoid contact with skin and eyes. Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper protection.
Emergency procedures	Ventilate area.
6.2. Environmental precautions	
Avoid release to the environment. Preven	t entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.
6.3. Methods and materials for con	itainment and cleaning up
Mathada far alganing un	Take up liquid apill into abcorbant material. Natify authorities if product optors source or

Methods for cleaning up	Take up liquid spill into absorbent material. Notify authorities if product enters sewers or
	public waters. Soak up spills with inert solids, such as clay or diatomaceous earth as soon
	as possible. Collect spillage. Store away from other materials.
Other information	Dispose of materials or solid residues at an authorized site.



according to the United Nations GHS (Rev. 4, 2011)

SECTION 7: Handling and st	torage
7.1. Precautions for safe handling	
Precautions for safe handling	Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash hands, forearms and face thoroughly after handling.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage conditions	Store locked up. Store in a well-ventilated place. Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
Incompatible products	Strong bases. Strong acids.
Incompatible materials	Sources of ignition. Direct sunlight.
Storage temperature	5 – 25 °C

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls	Ensure good ventilation of the work station.
Environmental exposure controls	Avoid release to the environment.
Other information	Do not eat, drink or smoke during use.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment:

Safety glasses. Protective clothing. Gloves. Avoid all unnecessary exposure.

Hand protection

Protective gloves. Wear protective gloves.

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	3 (> 60 minutes)			EN ISO 374
Eye protection Chemical goggles or safety glasses					

Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet		EN 166, EN 170
Skin and body protection	Wear suitable protective clothing]	

Respiratory protection

[In case of inadequate ventilation] wear respiratory protection. Wear appropriate mask

Personal protective equipment symbol(s)



8.4. Exposure limit values for the other components

No additional information available



according to the United Nations GHS (Rev. 4, 2011)

SECTION 9: Physical and chemical properties

9.1. Basic physical and chemical properties

3.1. Dasic physical and chemical properties	5
Physical state	Liquid
Colour	red.
Odour	characteristic.
Odour threshold	Not available
Melting point	Not applicable
Freezing point	Not available
Boiling point	Not available
Flammability	Not applicable,Non flammable.
Lower explosion limit	Not available
Upper explosion limit	Not available
Flash point	Not applicable.
Auto-ignition temperature	Not available
Decomposition temperature	Not available
рН	Not determined
pH solution	Not available
Viscosity, kinematic (calculated value) (40 °C)	Not available
Partition coefficient n-octanol/water (Log Kow)	Not available
Vapour pressure	Not available
Vapour pressure at 50°C	Not available
Density	≈ 1.17 g/cm³
Relative density	Not available
Relative vapour density at 20°C	Not available
Solubility	Not available
Particle size	Not applicable

9.2. Data relevant with regard to physical hazard classes (supplemental)

VOC content

15 mg/l EPA method 24 (CP 620, Comp. A + B)

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions. Not established.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Not established.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation) Not classified



according to the United Nations GHS (Rev. 4, 2011)

hexaboron dizinc undecaoxide (12767-90-7)		
LD50 oral rat	> 5000 mg/kg bodyweight (FIFRA (40 CFR), Rat, Male / female, Experimental value, Oral, 14 day(s))	
LD50 dermal rabbit	> 5000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Skin, 14 day(s))	
LC50 Inhalation - Rat	> 4.95 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value of similar product, Inhalation (dust), 14 day(s))	
Skin corrosion/irritation	Causes skin irritation. pH: Not determined	
Serious eye damage/irritation	Causes serious eye irritation. pH: Not determined	
Respiratory or skin sensitisation	Not classified	
Germ cell mutagenicity	Not classified	
Carcinogenicity	Not classified	
Reproductive toxicity	Suspected of damaging fertility or the unborn child.	
STOT-single exposure	Not classified	
STOT-repeated exposure	Not classified	
Aspiration hazard	Not classified	
Potential adverse human health effects and symptoms	Based on available data, the classification criteria are not met.	

SECTION 42: Ecological information		
SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general Ecology - water	Harmful to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.	
Hazardous to the aquatic environment, short-term	Not classified	
(acute)		
Hazardous to the aquatic environment, long-term (chronic)	Harmful to aquatic life with long lasting effects.	
Classification procedure (Hazardous to the aquatic environment, long-term (chronic))	Calculation method	
Ethylenediamine, propoxylated (25214-63-5)		
LC50 - Fish [1]	4500 mg/l Leuciscus idus (golden orfe)	
EC50 72h - Algae [1]	35 mg/l	
NOEC chronic crustacea	> 1 mg/l	
hexaboron dizinc undecaoxide (12767-90-7)		
LC50 - Fish [1]	79.7 mg/l Freshwater fish	
LC50 - Fish [2]	74 mg/l Marine water fish	
12.2. Persistence and degradability		
CP 620, A		
Persistence and degradability	May cause long-term adverse effects in the environment.	
hexaboron dizinc undecaoxide (12767-90-7)		
Not rapidly degradable		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	



according to the United Nations GHS (Rev. 4, 2011)

hexaboron dizinc undecaoxide (12767-90-7)		
BOD (% of ThOD)	Not applicable	
12.3. Bioaccumulative potential		
CP 620, A		
Bioaccumulative potential	Not established.	
hexaboron dizinc undecaoxide (12767-90-7)		
Bioaccumulative potential	No bioaccumulation data available.	
12.4. Mobility in soil		
CP 620, A		
Mobility in soil	No additional information available	
hexaboron dizinc undecaoxide (12767-90-7)		
Ecology - soil	Adsorbs into the soil.	
12.5. Other adverse effects		
Ozone	Not classified	
Other adverse effects	No additional information available	
Other information	Avoid release to the environment.	

SECTION 13: Disposal considerations 13.1. Disposal methods Waste treatment methods Dispose of contents/container in accordance with licensed collector's sorting instructions. Product/Packaging disposal recommendations Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. Ecological information Avoid release to the environment.

SECTION 14: Transport information In accordance with ADR / IMDG / IATA / RID / IMDG ADR ΙΑΤΑ RID 14.1. UN number or ID number Not regulated Not regulated Not regulated Not regulated 14.2. UN proper shipping name Not regulated Not regulated Not regulated Not regulated 14.3. Transport hazard class(es) Not regulated Not regulated Not regulated Not regulated 14.4. Packing group Not regulated Not regulated Not regulated Not regulated 14.5. Environmental hazards Not regulated Not regulated Not regulated Not regulated No supplementary information available



according to the United Nations GHS (Rev. 4, 2011)

14.6. Special precautions for user

Overland transport Not regulated

Transport by sea Not regulated

Air transport Not regulated

Rail transport Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

No additional information available

SECTION 16: Other information		
SDS Major/Minor	None	
Issue date	08/02/2021	
Revision date	08/02/2021	
Supersedes	19/12/2017	
Other information	None.	
Full text of H-statements:		
Acute Tox. Not classified (Dermal)	Acute toxicity (dermal) Not classified	
Acute Tox. Not classified (Oral)	Acute toxicity (oral) Not classified	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Acute Not classified	Hazardous to the aquatic environment – Acute Hazard Not classified	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic Not classified	Hazardous to the aquatic environment – Chronic Hazard Not classified	
Flam. Liq. Not classified	Flammable liquids Not classified	
H315	Causes skin irritation	
H319	Causes serious eye irritation	
H361	Suspected of damaging fertility or the unborn child	
H400	Very toxic to aquatic life	
H411	Toxic to aquatic life with long lasting effects	
H412	Harmful to aquatic life with long lasting effects	

SDS_UN_Hilti





according to the United Nations GHS (Rev. 4, 2011)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.